

TENDER

FOR

Supply and Installation of

GYM EQUIPMENTS

in the Department of Dean Student Welfare

BIT MESRA, Ranchi



Tender No.: IC/000278/282/290/267/274/268

Tender date: 25 Aug, 2017

Last Date of submission: 22 Sep, 2017

Birla Institute of Technology, Mesra

Birla Institute of Technology, Mesra, Ranchi invites tender for supply, erection, installation, commissioning, testing, demonstration and training of **Gym Equipments** , as per specifications given in the Annexure attached to the Tender.

| | |
|--|--|
| Tender Reference No. | IC/000278/282/290/267/274/268 |
| Last Date and Time for receipt of Tender | 22/09/2017 at 1500 Hrs |
| Time and Date for Opening of Technical Bid | 22/09/2017 at 1600 Hrs |
| Address for Communication | As Stated below in the Instructions to the bidders. |
| Contact Telephone Numbers, H.O.D. | 0651-2276274 |
| For technical Details Contact Dean Student Welfare Prof.Dr.Mahesh Chandra | deansw@bitmesra.ac.in shrotriya@bitmesra.ac.in |
| Opening of Bids | Technical Bids will be opened on 22 /09/2017, at 1600 Hrs in the Institute's Conference Room in the Main Building. |
| Price bids | Price bid of only Technically qualified bidders will be opened. Dates will be declared later. |

INSTRUCTIONS TO BIDDERS

All interested vendors are requested to send their sealed quotation for supply of the above item under two bid systems in the following manner:

- a) Envelope – I: Technical Bid.
- b) Envelope – II: Financial Bid.

NOTE: The bid documents are not transferable and the firm's seal and signature of the authorized official must appear on all papers and envelopes submitted.

Both the envelopes should be sealed, signed, marked and kept in a bigger envelop superscribed with the Tender Reference No. and Tender notice detail as appended hereunder.

TENDER FOR SUPPLY OF GYM EQUIPMENTS

**TENDER REF. NO: IC/000278/282/290/267/274/268, DATE: 22 /09/2017
LAST DATE FOR SUBMISSION:22/09/2017 Till 1500 Hrs.**

The Additional Registrar (F&MM)
Birla Institute of Technology, Mesra
Ranchi - 835215.

From: M/s -----
Contact No: -----
E-mail ID: -----

Eligibility Criteria

| Sr. No. | Criteria | Comply (Yes/No) | Page number in support of compliance. Deviations (if any) should be mention clearly and details thereof should be indicated. |
|---------|--|-----------------|--|
| 1. | The supplier must have sold Equipment of at least 05(Five) Crore within India in last 5 (five) years. The supplier should provide list of installation in India with all contact details and model details so that BIT, Mesra can approach contact person for any feedback. | | |
| 2. | Vendor should have repair and maintenance facility in India. | | |
| 3. | The Purchase order copies for at least three Institutions should be furnished for rate justification for equipments in the tender. | | |
| 4. | Bidders shall invariably furnish documentary evidence (client's certificate) in support of the satisfactory operation of the equipment. | | |

Evaluation Criteria

| Sr. No. | Criteria | Marks |
|---------|--|---|
| 1. | Experience (No. of bulk orders executed*) of providing equipments during last five years | 20 (05 marks for each bulk order) |
| 2. | Performance of equipments make/ model wise. | 40 (10 marks for each satisfactory performance report on make / model of equipment from user/ client for bulk orders within last 03 years) |
| 3. | Performance/ service of firm during warranty/ AMC period. | 10 marks each for |

* Bulk order: Order amounting to at least Rs. 10 lakhs & above in a single order.

The bidder securing marks at least 50 will be considered technically qualified. Financial bids of only the technically qualified bidders will be opened.

Terms & conditions

1. **Instructions to the OEM:** Either the Indian Agent on behalf of the Principal/OEM or Principal/OEM can bid but both cannot bid simultaneously for the same item/product in the same tender.
2. **Single Order:** A single order will be processed for entire configuration.
3. **Spares availability:** The supplier of the instrument must confirm in writing that the spares for the entire instrument will be available for a period of at least ten years after the model of equipment supplied has been phased out. For frequently required spares, there should be adequate inventory with the Indian agency.
4. **Delivery date etc.:** Time taken for delivery, installation and commissioning should be separately specified.
5. **Bid Submission:** The bids can be sent to us by Hand/ Speed post/ Courier so as to reach the marked address by due date and time. Late bids will not be accepted. The price bids of only those firms will only be opened who are found to be technically qualified after evaluation. The Institute reserves the right to cancel/reject any or all bids without assigning any reason thereof.
6. **Bid document:** The vendor should read the Tender documents carefully before quoting. It shall be deemed that the vendor has gone through the documents carefully and has understood its implication. Any lack of information shall not relieve the bidder of its responsibility to fulfill its obligations under the Bid.
7. **Price:** Prices quoted should be on F.O.R., BIT Mesra, Ranchi on **Door Delivery** basis.
8. **Technical bid:** The technical bid should accompany full technical literature, pamphlets, leaflets of the technical features of the offered equipment must be submitted for proper evaluation.
9. **Dealers:** Dealership certificate/ authorization certificate from OEM if the bidder is a dealer.
10. **Similar Installation:** A complete list of Institutes' / Organisations' list wherein the installation has been done and a Performance certificate along with such list where these installation has been done in past three years.
11. **Validity of Quotation:** Quotations should be valid for 90 days.
12. **Declaration:** The bidder should attach a self-declaration stating that he is not debarred/ blacklisted or banned from any University/ Central Government / PSU / State Govt of India / any other Govt. agencies or any Institute of National / International importance.
13. **GST etc:** Copy of up-to-date GST clearance certificate & sales tax registration certificate indicating also the TIN number of the Firm will have to accompany the quotations. Copy of PAN must be submitted of Firm / Company along with the Technical Bid.
14. **Bank Details:** Banker's details of quoting Firm/ Vendor should be clearly mentioned as attached
15. **Performance security:** The supplier shall furnish a Performance Security within 21 days after the receipt of the Purchase Order for an amount of 10% (Ten percent) of the Purchase order value, valid **upto 60 days** after the date of completion of performance obligations including warranty obligations. In the event of any correction of defects or replacement of defective material during the warranty period, the warranty for the corrected/replaced material shall be extended to a further period of 12 months and the **Performance Bank Guarantee** for proportionate value shall be extended 60 days over and above the extended warranty period. This Performance Bank guarantee should be issued from any Nationalized Bank and validity of the same will be till **warranty period +60 days** from the date of delivery / installation of the material.
16. **Warranty/ Guarantee/ AMC:** The supplier should provide comprehensive warranty (on-site) for one years for all components without any additional cost to the purchaser from the date of satisfactory commissioning. Components include all parts (accessories / consumables / spares parts). All accessories/ consumable/ spare parts replaced shall be from OEM/ Supplier of same model or higher version. If within a period of three years after commission, any accessory / consumable/ spare part is proved to be defective then such product shall be replaced by the manufacturer / supplier. Such replacement shall be sole obligation of manufacturer / supplier,

including payment of charges for freight delivery, custom duty and transportation, if any. In case of breakdown during the warranty period, a competent Service Engineering of the supplier should make as many visits as are required to rectify the problem and replace the faulty parts, without any liability of cost. Service response time must be less than 72 hours.

17. **Delivery:** Unless otherwise stated delivery of goods at BIT, Mesra, will have to be maximum within Eight (8) weeks from the date of issue of the Purchase Order. All aspects of safe delivery shall be the exclusive responsibility of the OEM / Bidder.
18. **Bid Currencies:** The quoted price should be in Indian Rupees
19. **Conditional tenders:** Conditional tenders shall not be accepted.
20. **Late and delayed Tenders:** Late and delayed tender will not be considered. In case any unscheduled holiday occurs on prescribed closing/opening date the next working day shall be the prescribed date of closing/opening.
21. **Rejection of Tender:** The tenders are liable to be rejected if the conditions mentioned in the tender documents are not complied with. The tender should be complete in all respects and duly signed wherever required. Incomplete and unsigned offer will not be accepted.
22. **Authorization for signing the bid:** The authorization shall be indicated by written power-of-attorney accompanying the bid. All pages of the bid, except for un-amended printed literature, shall be initialed by the person or persons signing the bid.
23. **Liquidated Damage:** If a firm accepts an order and fails to execute the order in full as per the terms and conditions stipulated therein, it will be open to this Institute to recover liquidated damages from the firm at the rate of 1% per week of the order value subject to a maximum of 10% of the order value. It will also be open to this Institute alternatively, to arrange procurement of the required stores from any other source at the risk and expense of the firm, which accepted the order but failed to execute the order according to stipulated agreed upon.
24. **Payment Terms: -** 100% payment will be released after receiving of stores in good order and condition and successful installation and commissioning duly certified by the concern authority.
25. **Termination for default:** Default is said to have occurred: -
 - (a) If the supplier fails to deliver any or all of the services within the time period(s) specified in the purchase order or any extension thereof granted by BIT, Mesra.
 - (b) If the supplier fails to perform any other obligation(s) stated in the Purchase Order.
 - (c) If the vendor, in either of the above circumstances, does not take remedial steps within a period of 30 days after receipt of the default notice from BIT Mesra (or takes longer period in spite of what BIT Mesra may authorize in writing). BIT Mesra may terminate the contract / purchase order in completely or in part. In addition to above, BIT Mesra may at its discretion also take the following actions: BIT Mesra may procure, upon such terms and in such manner, as it deems appropriate, goods similar to the undelivered items/products and the defaulting supplier shall be liable to compensate BIT Mesra for any extra expenditure involved towards goods and services to complete the scope of.
26. **Acceptance and rejection of bids:** The Institute may accept or reject any or all the bids in part of in full without assigning any reason and doesn't bind himself to accept the lower bid, without thereby incurring any liability to the affected Bidder or bidders. The institute at its discretion may change the quantity / upgrade the criteria / drop any item or thereof at any time before placing the Purchase Order.
27. **Manual:** One set of operating manual and service manual including detailed drawings and circuit diagrams (in English) should be provided with the instrument
28. **Blacklisting of Supplier:** **Furnishing of wrong/ambiguous information in the compliance statement may lead to rejection of bid and further black listing of the bidder, if prima-facie it appears that the information in the compliance statement was given with a malafied/ fraudulent intent.**
29. **Clarification of Bids:** Clarifications may be sought by the Evaluation committee of the Institute during the Process of Technical Evaluation. The request for the clarification and the response

shall be in writing. There shall be no change in prices or substance of the bid shall be sought, offered or permitted. The Purchaser will examine the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the bids are generally in order.

30. **Waivers:** The Institute may waive off any minor informality non-conformity or irregularity in a bid which does not constitute a material deviation, provided such a waiver does not prejudice or affect the relative ranking of any Bidder.
31. **Bid responsiveness:** A responsive bid is one in which the bid is substantively responsible i.e. the bid which conforms to all the terms and conditions of the bidding documents without material deviations. Deviations from or objections or reservations to critical provisions such as those concerning Performance Security, Warranty, Force Majeure, Limitation of liability, Applicable law, and Taxes & Duties will be deemed to be a material deviation. The Purchaser's determination of a bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence.
32. **No Canvassing:** Any effort by a Bidder to influence the Purchaser in its decisions on bid evaluation, bid comparison or contract award may result in rejection of the Bidder's bid.
33. **Rejection of Bid:** If a bid is not substantially responsive, it will be rejected by the Purchaser and may not subsequently be made responsive by the Bidder by correction of the non-conformity.
34. **Award of Purchase Order:** The Purchaser will award the Order to the successful Bidder whose bid has been determined to be substantially responsive and has been determined as the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.
35. **Patent Rights:** The Supplier shall indemnify the Institute against all third-party claims of trademark, industrial design right or infringement of Patent arising from the use of Goods or any part thereof in India.
36. **Insurance:** For delivery of goods at site, the insurance shall be obtained by the Supplier in an amount equal to 110% of the value of the goods from "warehouse to warehouse" (final destinations) on "All Risks" basis including War Risks and Strikes.
37. **Undertaking:** While sending rates, the firm shall give an undertaking to the effect that "the terms/conditions mentioned in the enquiry letter/Tender Notice against which the rates are being given are acceptable to the firm." In case the firms do not give this undertaking, their rates will not be considered.
38. **Packaging:** The packaging should be such to prevent their damage, rough handling during transit and exposure to extreme temperatures etc or deterioration during transit to the final destination as indicated in the Purchase order. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.
39. **Tax liabilities:** Suppliers shall be entirely responsible for all duties, taxes, license fees, octroi, road permits, etc., incurred until delivery of the Goods to the Purchaser as per the Purchase order.
40. **Termination for Insolvency:** The Purchaser may at any time terminate the P.O by giving written notice to the Supplier, if the Supplier becomes bankrupt or otherwise insolvent. In such event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Purchaser.

Price bid

1. **Bid Price:** The Bid Price should be enclosed in a sealed envelope and properly marked. The Bidder shall indicate on the appropriate price bid, the unit prices and total bid prices of the goods it proposes to supply under the contract.
2. **Bid Currencies:** Prices should be quoted in Indian Rupees
3. The price quoted shall remain fixed during the contract period and shall not vary on any account.
4. All lots and items must be listed and priced separately in the Price bid. If a Price bid shows items listed but not priced, their prices shall be assumed to be included in the prices of other items. Lots or items not listed in the Price bid shall be assumed to be not included in the bid.
5. **Arithmetical errors:** The arithmetical errors will be rectified as follows. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected. If there is a discrepancy between the figures and words. The amount in words will prevail. If the supplier does not accept the correction of errors, its bid will be rejected.
6. Prices indicated on the price-bid should be mentioned in the following manner:
 7. i) The price of the goods should be quoted Ex –works.
 - ii) GST and other taxes etc. which will be payable on the goods if the contract is awarded. The details should be mentioned separately.
 - iii) The charges for inland transportation, insurance and other local services required for delivering the goods at the desired destination as specified in the price bid.
 - iv) The installation, commissioning and training charges including any incidental services, (if any) should be clearly mentioned.

Proforma for Performance Statement (last three years)

| Sr. No | Name of the Buyer (With full address) | Order No. and date | Full description of the Item and value | PO Value | Delivery Details | | Delay reason (if any) | Attach satisfactory performance certificate (from the buyer) | Contact Persons Details and contact No. |
|--------|---------------------------------------|--------------------|--|----------|------------------|-------------|-----------------------|--|---|
| | | | | | As per P.O | Supply date | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

Annexure II

Technical Specifications

| Sl. No | Specifications: <u>Gym Equipments</u> | Quantity |
|----------|--|----------|
| 1 | MEDICINE BALL Made of rubber. Easily inflatable of different colours | |
| | (i) 1 kg | 1 pc |
| | (ii) 2 kg | 1 pc |
| | (iii) 3 kg | 1 pc |
| | (iv) 4 kg | 1 pc |
| | (v) 5 kg | 1 pc |
| 2 | BALL Anti - burst material Dual textured grip for extra stability Hand pump included 85 - 95 cm | 1 Nos. |
| 3 | DUMBBELL RACK (MEN) 200 KG Dumbbell holding rack size : 2090 mm x 230 mm Overall Frame Size : 95 mm x 50 mm Outer frame dimensions : 850 mm x 835 mm | 1 No. |
| | (i) Dumbbell 2.5 kg | 4 pcs |
| | (ii) Dumbbell 5 kg | 2 pcs |
| | (iii) Dumbbell 7.5 kg | 2 pcs |
| | (iv) Dumbbell 10 kg | 4 pcs |
| | (v) Dumbbell 12.5 kg | 2 pcs |
| | (vi) Dumbbell 15 kg | 4 pcs |
| | (vii) Dumbbell 20 kg | 2 pcs |
| 4 | (i) Olympic Rods 7 ft | 3 pcs |
| | (ii) Olympic Rods 5 ft | 1 pc |
| | (iii) Olympic Rods 4 ft | 1 pc |
| | (iv) Olympic Rods 3 ft | 1 pc |
| | (v) Olympic Rods EZ | 1 pc |

| | | |
|----------|---|--------|
| 5 | DUMBBLELL RACK (WOMEN) 100 KG Sterdy rack which can hold 55 pieces of dumbbells with total weight of 100 Kg | 1 No. |
| | (i) Dumbbell 0.5 kg | 10 pcs |
| | (ii) Dumbbell 1 kg | 10 pcs |
| | (iii) Dumbbell 1.5 kg | 10 pcs |
| | (iv) Dumbbell 2 kg | 10 pcs |
| | (v) Dumbbell 2.5 kg | 10 pcs |
| | (vi) Dumbbell 5 kg | 5 pcs |
| 6 | (i) Coloured Weight Plates 5 Kg | 6 pcs |
| | (ii) Coloured Weight Plates 10 Kg | 8 pcs |
| | (iii) Coloured Weight Plates 20 Kg | 4 pcs |
| | (iv) Coloured Weight Plates 15 Kg | 6 pcs |
| | (v) Coloured Weight Plates 2.5 Kg | 6 pcs |
| 7 | TREADMILL 5 HP Continuous / 10 HP peak AC Motor Speed range : 0~25km/h Precise Incline control from 0~15% Precision steel rollers Touch- Sense Technology Built - in heart rate bar system Aluminium foot rail User weight : <_200Kg | 6 Nos. |
| 8 | HIGH LET PULLY L x W x H: 176.4 x 101.9 x 219.2 cm Weight Stack: 250 LBS Orthopaedic seat and pads Tear resistant upholstery ISO lateral stations IBBF approved scientific biomechanics | 2 Nos. |
| 9 | MULTI PRESS L x W x H : 203.3 x 131.6 x 152 cm Weight Stack : 250 LBS Orthopaedic seat and pads Tear resistant upholstery ISO lateral stations IBBF approved scientific biomechanics | 2 Nos. |

| | | |
|----|---|--------|
| 10 | BUTTER FLY L x W x H : 136.5 x 127.8 x 206 cm Weight Stack : 250 LBS Orthopaedic seat and pads Tear resistant upholstery ISO lateral stations IBBF approved scientific biomechanics | 2 Nos. |
| 11 | COMMERCIALCROSS TRAINER Internal generator LED Display Resistance Level : 1 - 20 User weight : <_ 180 kg | 6 Nos. |
| 12 | COMMERCIALUPRIGHT BIKE Touch - sense technology Built - in heart rate bar system 15 - 20 resistance levels Pedal adjustment for any size of foot to protect ankles during exercise User weight : <_180 kg | 6 Nos. |
| 13 | ADJUSTABLE BENCH L x W x H : 121 x 75 x 46.5 cm Orthopaedic seat and pads Tear resistant upholstery ISO lateral stations IBBF approved scientific biomechanics | 1 No. |
| 14 | FLAT BENCH L x W x H : 170 x 166 x 137 cm Orthopaedic seat and pads Tear resistant upholstery ISO lateral stations IBBF approved scientific biomechanics | 1 No. |
| 15 | PLATE STAND L x W x H : 96 x 62.5 x 120 cm Orthopaedic seat and pads, Tear resistant upholstery ISO lateral stations, IBBF approved scientific biomechanics | 1 No. |

| | | |
|----|--|--------|
| 16 | SQUAT STAND Triple chromed bar racking system Angled uprights, Multiple plate holders Adjustable safety spotters Tubular steel structure with high class epoxy coated finish Tear resistant upholstery | 1 No. |
| 17 | HEAVY DUTYCOMMERCIAL TWISTER sturdy and robust Made up of 4 inch by 2-inch steel pipes with handle | 2 Nos. |
| 18 | PUSH UP BAR High quality chrome steel, Longer foam grips | 1 No. |
| 19 | VIBRATOR COMMERCIAL AC Motor power : 500 W Speed range : 60 levels Wifi & Bluetooth connectivity Built - in speakers & MP3 axillary jack/USB slot With straps for stretching exercises Maximum User Weight : >_ 180 kgs | 2 Nos. |
| 20 | LEG EXTENSION Weight Stack <_ 150 kg Moulded cushioned seats Adjustable foot angle for various ankle lengths Mild steel weight stacks, Back seat adjustable Start position adjustable for user comfort | 2 Nos. |
| 21 | LEG PRESS L x W x H : 191 x 113 x 219.2 cm Weight Stack : 250 LBS Orthopaedic seat and pads, Tear resistant upholstery, ISO lateral stations IBBF approved scientific biomechanics | 2 Nos. |
| 22 | PRECHER CURL L x W x H : 108 x 120 x 152 cm Weight Stack : 250 LBS Orthopaedic seat and pads, Tear resistant upholstery ISO lateral stations, IBBF approved scientific biomechanics | 1 No. |

| | | |
|----|---|--------|
| 23 | CHINNING DEEPING ASSIST L x W x H : 122 x 136 x 220 cm Weight Stack : 200 LBS Orthopaedic seat and pads, Tear resistant upholstery ISO lateral stations, IBBF approved scientific biomechanics | 1 No. |
| 24 | ABDOMIAL BOARD L x W x H : 173.8 x 72.5 x 89.9 cm Orthopaedic seat and pads, Tear resistant upholstery ISO lateral stations, IBBF approved scientific biomechanics | 2 Nos. |
| 25 | HYPER EXTENSION L x W x H: 121.1 x 72.5 x 93.3 cm Orthopaedic seat and pads Tear resistant upholstery ISO lateral stations, IBBF approved scientific biomechanics | 2 Nos. |
| 26 | INCLINE BENCH Frame Size : 95 mm x 50 mm Orthopaedic seat and pads Tear resistant upholstery ISO lateral stations IBBF approved scientific biomechanics | 1 No. |

-----X-----